

# Data Visualization with ggplot2 ::

## Basics

**ggplot2** is based on the **grammar of graphics**, the idea that you can build every graph from the same components: a **data set**, a **coordinate system**, and geoms—visual marks that represent data points.



To display values, map variables in the data to visual properties of the geom (**aesthetics**) like **size**, **color**, and **x** and **y** locations.



Complete the template below to build a graph.

```
ggplot(data = <DATA>) + required
<GEOM_FUNCTION>(mapping = aes(<MAPPINGS>),
stat = <STAT>, position = <POSITION>) + Not
<COORDINATE_FUNCTION> + required,
<FACET_FUNCTION> + defaults
<SCALE_FUNCTION> +
<THEME_FUNCTION>
```

sensible supplied

`ggplot(data = mpg, aes(x = cty, y = hwy))` Begins a plot that you finish by adding layers to. Add one geom function per layer.

**aesthetic mappings**

`qplot(x = cty, y = hwy, data = mpg, geom = "point")` Creates a complete plot with given data, geom, and mappings. Supplies many useful defaults.

`last_plot()` Returns the last plot

`ggsave("plot.png", width = 5, height = 5)` Saves last plot as 5' x 5' file named "plot.png" in working directory. Matches file type to file extension.

## Geoms

Use a geom function to represent data points, use the geom's aesthetic properties to represent variables.  
Each function returns a layer.

### GRAPHICAL PRIMITIVES

a <- ggplot(economics, aes(date, unemploy))  
b <- ggplot(seals, aes(x = long, y = lat))

**a + geom\_blank()**

(Useful for expanding limits)

**b + geom\_curve(aes(yend = lat + 1,**

**xend=long+1, curvature=z)) - x, xend, y, yend,**

**alpha, angle, color, curvature, linetype, size**

**a + geom\_path(lineend="butt", linejoin="round",**

**linemitre=1)**

**x, y, alpha, color, group, linetype, size**

**a + geom\_polygon(aes(group = group))**

**x, y, alpha, color, fill, group, linetype, size**

**b + geom\_rect(aes(xmin = long, ymin=lat, xmax=**

**long + 1, ymax = lat + 1)) - xmax, xmin, ymax,**

**ymin, alpha, color, fill, linetype, size**

**a + geom\_ribbon(aes(ymin=unemploy - 900,**

**ymax=unemploy + 900)) - x, ymax, ymin,**

**alpha, color, fill, group, linetype, size**

### LINE SEGMENTS

common aesthetics: x, y, alpha, color, linetype, size

**b + geom\_abline(aes(intercept=0, slope=1))**

**b + geom\_hline(aes(yintercept = lat))**

**b + geom\_vline(aes(xintercept = long))**

**b + geom\_segment(aes(yend=lat+1, xend=long+1))**

**b + geom\_spoke(aes(angle = 1:1155, radius = 1))**

### ONE VARIABLE continuous

c <- ggplot(mpg, aes(hwy)); c2 <- ggplot(mpg)

**c + geom\_area(stat = "bin")**

**x, y, alpha, color, fill, linetype, size**

**c + geom\_density(kernel = "gaussian")**

**x, y, alpha, color, fill, group, linetype, size, weight**

**c + geom\_dotplot()**

**x, y, alpha, color, fill**

**c + geom\_freqpoly()**

**x, y, alpha, color, group, linetype, size**

**c + geom\_histogram(binwidth = 5)**

**x, y, alpha, color, fill, linetype, size, weight**

**c2 + geom\_qq(aes(sample = hwy))**

**x, y, alpha, color, fill, linetype, size, weight**

### discrete

d <- ggplot(mpg, aes(f1))

**d + geom\_bar()**

**x, alpha, color, fill, linetype, size, weight**

### TWO VARIABLES

**continuous x , continuous y**

e <- ggplot(mpg, aes(cty, hwy))

**e + geom\_label(aes(label = cty), nudge\_x = 1,**

**nudge\_y = 1, check\_overlap = TRUE)**

**x, y, label, alpha, angle, color, family, fontface, hjust,**

**lineheight, size, vjust**

**e + geom\_jitter(height = 2, width = 2)**

**x, y, alpha, color, fill, shape, size**

**e + geom\_point(), x, y, alpha, color, fill, shape,**

**size, stroke**

**e + geom\_quantile(), x, y, alpha, color, group,**

**linetype, size, weight**

**e + geom\_rug(sides = "bl"), x, y, alpha, color,**

**linetype, size**

**e + geom\_smooth(method = lm), x, y, alpha,**

**color, fill, group, linetype, size, weight**

**e + geom\_text(aes(label = cty), nudge\_x = 1,**

**nudge\_y = 1, check\_overlap = TRUE), x, y, label,**

**alpha, angle, color, family, fontface, hjust,**

**lineheight, size, vjust**

**discrete x , continuous y**

f <- ggplot(mpg, aes(class, hwy))

**f + geom\_col(), x, y, alpha, color, fill, group,**

**linetype, size**

**f + geom\_boxplot(), x, y, lower, middle, upper,**

**ymax, ymin, alpha, color, fill, group, linetype,**

**shape, size, weight**

**f + geom\_dotplot(binaxis = "y", stackdir =**

**"center"), x, y, alpha, color, fill, group**

**f + geom\_violin(scale = "area"), x, y, alpha, color,**

**fill, group, linetype, size, weight**

### discrete x , discrete y

g <- ggplot(diamonds, aes(cut, color))

**g + geom\_count(), x, y, alpha, color, fill, shape,**

**size, stroke**

### THREE VARIABLES

seals\$z <- with(seals, sqrt(delta\_long^2 + delta\_lat^2))

l <- ggplot(seals, aes(long, lat))

**l + geom\_contour(aes(z = z))**

**x, y, z, alpha, colour, group, linetype, interpolate=FALSE)**

**size, weight, x, y, alpha, fill**

**l + geom\_tile(aes(fill = z)), x, y, alpha, color, fill,**

**linetype, size, width**

### continuous bivariate distribution

h <- ggplot(diamonds, aes(carat, price))

**h + geom\_bin2d(binwidth = c(0.25, 500))**

**x, y, alpha, color, fill, linetype, size, weight**

**h + geom\_density2d()**

**x, y, alpha, colour, group, linetype, size**

**h + geom\_hex()**

**x, y, alpha, colour, fill, size**

### continuous function

i <- ggplot(economics, aes(date, unemploy))

**i + geom\_area()**

**x, y, alpha, color, fill, linetype, size**

**i + geom\_line()**

**x, y, alpha, color, group, linetype, size**

**i + geom\_step(direction = "hv")**

**x, y, alpha, color, group, linetype, size**

### visualizing error

df <- data.frame(grp = c("A", "B"), fit = 4:5, se = 1:2)

j <- ggplot(df, aes(grp, fit, ymin = fit-se, ymax = fit+se))

**j + geom\_crossbar(fatten = 2)**

**x, y, ymax, ymin, alpha, color, fill, group, linetype,**

**size**

**j + geom\_errorbar()**

**x, ymax, ymin, alpha, color, fill, group, linetype,**

**width (also geom\_errorbarh())**

**j + geom\_linerange()**

**x, ymin, ymax, alpha, color, group, linetype, size**

**j + geom\_pointrange()**

**x, y, ymin, ymax, alpha, color, fill, group, linetype,**

**shape, size, weight**

**maps**

data <- data.frame(murder = USArrests\$Murder,

state <- tolower(rownames(USArrests)))

map <- map\_data("state")

k <- ggplot(data, aes(fill = murder))

**k + geom\_map(aes(map\_id = state), map = map)**

**+ expand\_limits(x = map\$long, y = map\$lat),**

**map\_id, alpha, color, fill, linetype, size**

**l + geom\_raster(aes(fill = z), hjust=0.5, vjust=0.5,**

**x, y, alpha, color, fill, linetype, size**

