

# Installing Apache Spark and Python

### Windows

- 1. Install a JDK (Java Development Kit) from <a href="http://www.oracle.com/technetwork/java/javase/downloads/index.html">http://www.oracle.com/technetwork/java/javase/downloads/index.html</a>. You must install the JDK into a path with no spaces, for example c:\jdk. Be sure to change the default location for the installation!
- 2. Download a pre-built version of Apache Spark from https://spark.apache.org/downloads.html
- 3. If necessary, download and install WinRAR so you can extract the .tgz file you downloaded. http://www.rarlab.com/download.htm
- **4.** Extract the Spark archive, and copy its **contents** into **C:\spark** after creating that directory. You should end up with directories like c:\spark\bin, c:\spark\conf, etc.
- **5.** Download winutils.exe from https://sundog-spark.s3.amazonaws.com/winutils.exe and move it into a **C:\winutils\bin** folder that you've created. (note, this is a 64-bit application. If you are on a 32-bit version of Windows, you'll need to search for a 32-bit build of winutils.exe for Hadoop.)
- **6.** Open the the **c:\spark\conf** folder, and make sure "File Name Extensions" is checked in the "view" tab of Windows Explorer. Rename the log4j.properties.template file to log4j.properties. Edit this file (using Wordpad or something similar) and change the error level from INFO to

ERROR for log4j.rootCategory

- **7.** Right-click your Windows menu, select Control Panel, System and Security, and then System. Click on "Advanced System Settings" and then the "Environment Variables" button.
- 8. Add the following new USER variables:
- a. SPARK HOME c:\spark
- b. JAVA HOME (the path you installed the JDK to in step 1, for example C:\JDK)
- c. HADOOP HOME c:\winutils
- **9.** Add the following paths to your PATH user variable:

#### %SPARK HOME%\bin

#### %JAVA\_HOME%\bin

- **10.** Close the environment variable screen and the control panels.
- 11. Install the latest Enthought Canopy for Python 3.5 from

https://store.enthought.com/downloads/#default Don't install a Python 2.7 version!

- 12. Test it out!
  - a. Open up Canopy and select "Canopy Command Prompt" from the Tools menu.
- b. Enter cd c:\spark and then dir to get a directory listing.
- c. Look for a text file we can play with, like README.md or CHANGES.txt
- d. Enter **pyspark**
- e. At this point you should have a >>> prompt. If not, double check the steps above.



- f. Enter rdd = sc.textFile("README.md") (or whatever text file you've found)
- g. Enter rdd.count()
- h You should get a count of the number of lines in that file! Congratulations, you just ran
- your first Spark program!
  - Enter quit() to exit the spark shell, and close the console window
- i. You've got everything set up! Hooray!

# MacOS j.

- 1. Install Apache Spark using Homebrew.
  - a. Install Homebrew if you don't have it already by entering this from a terminal prompt: /usr/bin/ruby -e "\$(curl -fsSL

https://raw.githubusercontent.com/Homebrew/install/master/install)"

- b. Enter brew install apache-spark
- c. Create a log4j.properties file via cd /usr/local/Cellar/apache-spark/2.0.0/libexec/conf cp log4j.properties.template log4j.properties

(substituted 2.0.0 for the version actually installed)

- d. Edit the log4j.properties file and change the log level from INFO to ERROR on log4j.rootCategory.
- 2. Install the latest Enthought Canopy for Python 3.5 from

https://store.enthought.com/downloads/#default

- 3. Test it out!
  - a. Open up a terminal
  - b. Enter cd c:\spark and then dir to get a directory listing.
  - c. Look for a text file we can play with, like README.md or CHANGES.txt
  - d. Enter pyspark
  - e. At this point you should have a >>> prompt. If not, double check the steps above.
  - f. Enter rdd = sc.textFile("README.md") (or whatever text file you've found)
  - g. Enter rdd.count()
  - h. You should get a count of the number of lines in that file! Congratulations, you just ran your first Spark program!
  - i. Enter quit() to exit the spark shell, and close the terminal window
  - j. You've got everything set up! Hooray!

## Linux

- 1. Install Java, Scala, and Spark according to the particulars of your specific OS. A good starting point is <a href="http://www.tutorialspoint.com/apache\_spark/apache\_spark\_installation.htm">http://www.tutorialspoint.com/apache\_spark/apache\_spark\_installation.htm</a> (but be sure to install Spark 2.0 or newer)
- Install the latest Enthought Canopy for Python 3.5 from https://store.enthought.com/downloads/#default 3. Test it out!
  - a. Open up a terminal



- b Enter cd c:\spark and then dir to get a directory listing.
- . Look for a text file we can play with, like README.md or CHANGES.txt
- c. Enter pyspark
- d At this point you should have a >>> prompt. If not, double check the steps above.
- . Enter rdd = sc.textFile("README.md") (or whatever text file you've found)
- e. Enter rdd.count()
- f. You should get a count of the number of lines in that file! Congratulations, you just ran
- g. your first Spark program!
- h Enter quit() to exit the spark shell, and close the console window
- You've got everything set up! Hooray!

i.

j.